



The *tau*-coupling process when clicking an icon shows that we absolutely do not need a motor plan; Executing an external action trajectory shape within the external (primary) focus dictates all internal sensorimotor perception processes within the internal (secondary) focus

The *tau*-coupling process when clicking an icon shows that we absolutely do not need a motor plan; Executing an external action trajectory shape within the external (primary) focus dictates all internal sensorimotor perception processes within the internal (secondary) focus



Caught In A Line

The explanatory model of all motoric movement actions

N.J. Mol
October 2023

Introduction

When we want to move a pointer to an icon on a computer screen, the explanatory model of the motoric movement action has demonstrated that solely the movement of the pointer embodies the core of the task and of our egocentric intention. Within there scientific evidence has been provided that, prior to the actual execution of any conceivable action, we first create a perceptual image of an entire latent action trajectory shape over which we can successfully move (all the dimensions of) the action object¹, in this case, the pointer, to the icon².

However, science has so far completely missed all the essentials in regard to the action trajectory shape and only indirectly noticed that (action) paths are formed between the end effectors c.q. the action object, and the goal of the action. While it can be quickly established that all positions P of an action object are invariably constrained within one single line segment shape within any conceivable motor action. This should have led to several revolutionary insights:

1. Factually, the action object invariably fills an action trajectory shape in the same way as a marble moves within a marble run, where the perception of the marble's current location precisely delineates the boundary between the manifest and latent parts of the trajectory.
2. All latent positions P of the action object effectively always have to sprout from the manifest positions P, or effectively always have to originate from the manifest part of the action trajectory shape.
3. Within the action trajectory shape, it factually always becomes apparent when the action is coming to its end due to the perception of the disappearing of the complete latent action trajectory shape c.q. the *tau*-value approaching to zero³.

So, although the explanatory model demonstrates that the perception of the movement of the action object within the perceptual image of a latent action trajectory shape encompasses an autonomous phenomenon and thus exclusively is going to perform the essence of the task, the explanatory model also clearly shows that the action object itself absolutely isn't capable to move. Even when grasping with the fingertips, the explanatory model shows that the movement of the fingertips along an external action trajectory shape on the outside of the body can't be moved by the outside of the fingertips themselves. So even within grasping, the movement within the external (primary) focus can only be executed with movements that must always be perceived within the body, within the internal (secondary) focus. In the present action, where a mouse moves far from the screen, this insight will be easily

¹ Science and the explanatory model of the motoric movement action use the terms 1. end effector and 2. action object for the same phenomenon. For example, in eating with a spoon, science refers to the spoon bowl as the end effector, whereas the explanatory model designates the spoon bowl as the action object.

² https://www.researchgate.net/publication/372719694_When_moving_a_pointer_on_a_computer_screen_you_are_mainly_attentive_to_where_'nothing'_is_-_The_scientific_evidence_regarding_visual_perception_within_each_motor_action

³ https://www.researchgate.net/publication/373399960_When_clicking_on_an_icon_the_essence_of_the_task_is_solely_executed_by_the_external_movements_of_the_pointer_within_the_primary_focus_The_pointer_becomes_constrained_within_an_action_trajectory_shape

The *tau*-coupling process when clicking an icon shows that we absolutely do not need a motor plan; Executing an external action trajectory shape within the external (primary) focus dictates all internal sensorimotor perception processes within the internal (secondary) focus

recognized, and it will also be easy to determine that the pointer can solely be moved along an external action trajectory shape with movements within the body that solely reach up to the mouse^{4,5}.



Images: The explanatory model of the motoric movement action shows, beyond any reasonable doubt, that there is no need for a motor plan to initiate an action. It demonstrates that all sensorimotor perception processes within the internal (secondary) focus simply need to follow the lead of the external (primary) focus. This clarification, which does not require any hierarchy, underscores our freedom from being tied to specific sensorimotor movements and this perspective is in perfect alignment with an ecological approach to motor actions. We can control a pointer on a screen towards an icon using various means, such as different types of mice (left), our mouth (center), or our eyes (right). The explanatory model of the motoric movement action simply emphasizes that the action object itself cannot move independently, and it is the internal (secondary) focus that should handle the motion, irrespective of the specific nature of that motion. This becomes abundantly clear in the animations. If we can detect any noticeable difference in the perception of any movement within the internal (secondary) focus, it can be sufficient to set a pointer in motion. The distinction between (the act of) blowing and not blowing, for example, can be readily observed and can be adequate enough to successfully move a pointer towards an icon.

In summary, this leads to the conclusion that the phenomenon of the perception-action coupling is solely related to the perception of movement within the external (primary) focus. Only within this focus, a perceptual image, consisting of latent future positions P of the action object, is filled by the future actual positions of that exact same action object. Also, only within this focus, the *tau*-value can be perceived. This publication now explains how the perception of the *tau*-value should be linked to the internal (secondary) focus and extensively discusses the consequences this has for the perception processes within the internal (secondary) focus c.q. for all sensorimotor actions.

A universal *tau*-coupling is present within every conceivable motoric action

The explanatory model, in conjunction with previous publications, demonstrates that the *tau*-value can be universally observed within any conceivable action. This aligns with the findings of D.N. Lee, who showed that in many actions, a gap c.q. a line segment shape between the action object and the end

⁴ <https://www.researchgate.net/publication/372720049> The functional perception processes related to the movement of a pointer at a computer screen - The execution of any imaginable motoric action requires the compelling cooperation of an internal and an


⁵ This intriguing dualism demands our utmost attention as it presents the essence of our perception processes. The internal (secondary) focus not only meticulously tracks the movement of the action object within the action trajectory shape but is also the instigator of this movement. It might sound paradoxical that the very action you initiate creates your own reliance. However, this is precisely what occurs because it is an implicit fact that when you move something inside your body, an external part of your body will inevitably move within an action trajectory shape on the outside of your body.

goal⁶ gradually approached zero and eventually completely disappeared. While Lee's discovery generated significant interest in the scientific community, a major breakthrough remained elusive. Lee connected this crucial *tau*-value to various irrelevant other possible *tau*-values without realizing that multiple foci could be distinguished and linked within a single motoric action.

However, this insight proved to be highly relevant for the explanatory model of the motoric movement action. By understanding that the movement of an action object along an action trajectory shape outside the body is a completely autonomously observable phenomenon, and can only be executed by a completely different autonomously observable phenomenon within the body, it is now possible to explain precisely which phenomena should be connected and how the *tau*-coupling is established. The perception of the *tau*-value approaching zero within the external (primary) focus should ultimately guide the observations within the internal (secondary) focus.

The *tau*-coupling when moving a pointer toward an icon

Frequently, when this motoric action commences, the pointer is initially situated at a specific distance from the icon. Subsequently, after a short initial phase, possibly executed at a slightly reduced speed, the pointer needs to traverse⁷ a relatively long distance during which it appears that nothing noteworthy occurs. However, the explanatory model of the motoric movement action shows that, on the contrary, this bridging process through what seems like an idle phase demands active engagement from our perception processes, with the cortical streams playing a pivotal role. The egocentrically formulated will reaches its culmination only at the end of the action trajectory shape.



Images: Before we actually move a pointer, a perceptual image of the shape of a latent action trajectory is always created first, which allows all the dimensions of the pointer to successfully reach the icon. Within these images, you can ascertain for yourself that factually only the pointer will fill this action trajectory shape and, therefore, only the pointer will fulfill the essence of the task. It is also evident that the pointer moves like a marble in a marble run, with the current position P (0) of the pointer (in red) always marking the precise boundary between the manifest (in yellow) and the latent (in green) parts. When, within the perceptual image of the action trajectory shape, there are hardly any latent positions P left, or when the *tau*-value approaches zero, the action is going to be finalized. This necessitates adjusting the mouse's movement in such a way that the pointer neatly ends up on the icon and doesn't repeatedly overshoot it. The disappearance of the latent part of the action trajectory shape can be perceived in two autonomous ways. One can observe how the yellow (manifest) part takes over

⁶ In the original work, examples include a long jumper leaping towards the take-off bar, a Northern Gannet diving toward the water surface, and a bee heading towards a flower.

⁷ In contrast to current scientific beliefs, the explanatory model of the motoric movement action demonstrates that, contrary to prevailing thought within the scientific community, the essence of the task is indeed finalized at the end of the action trajectory shape. However, it also asserts that the transitional phase is equally integral to the task. Both phases hold equal significance, and they must both be executed successfully for the entire motor action to have any chance of success.

the green (latent) part of the action trajectory, or, in a more basic sense, one can solely perceive the speed at which the green line segment disappears c.q. at which the green gap closes.

While it may appear that only the end of the action trajectory is crucial, the explanatory model is clear: the perception of every position between the pointer and the icon is equally vital for success. The finalization of the action and the bridging process are, in fact, two distinct phenomena that must be successfully executed sequentially. One can never reach a successful conclusion if the bridging phase has not been successful.

However, the successful execution of the ending is also crucial for a motoric action to succeed. The success of a motoric action depends on observing that the *tau*-value within the external (primary) focus approaches zero. Then, within the internal (secondary) focus, adjustments to mouse movements must be made so that the pointer ends precisely on the icon, without overshooting it repeatedly. In many motor actions, it can be observed that after a phase of relative acceleration during the bridging phase, there is a relative deceleration of the action object as the end of the action approaches⁸.

The perception processes within the internal (secondary) focus in regard to the sensorimotoric movements moving the mouse

The explanatory model of the motoric movement action presents a completely new paradigm. It's built on the factual observation that an autonomous internal movement of any organism will implicitly lead to an autonomous external movement of the outside of that organism. In which it is also a fundamental fact that the movement of any given position P on the outside of that organism will need to sprout out of each other c.q. that all those positions P will always be interconnected. Which factually means that they will always create a line segment shape. So the most important conclusion reveals that these two movements are implicitly connected, but that the perception processes mediating these movements are completely autonomous and independent of each other⁹.

This aforementioned clarification doesn't pertain to the paradigm itself but to its foundation. In regard to which the explanatory model notes that these phenomena occur regardless of which focus you centralize. However, the new paradigm lies in the novelty that you can fully execute a motor action by focusing solely on creating and completing an external action trajectory shape. In contrast to the idea that early organisms primarily started by emphasizing arbitrary motor movements within the body and then observing the external result, the explanatory model states that these roles have now been completely reversed after millions of years of evolution. When moving a pointer to an icon, we primarily perceive the dominant movement of the pointer within the external (primary) focus and guide its

⁸ As explained in this section, the explanatory model underpins the notion that within many motoric actions a bell-shaped profile is capable to occur when plotting the execution speed of an action against time in a graph. In many actions, it is indeed typical that after a short initiation phase, a smooth and faster bridging phase occurs, followed by a more precise phase towards the end. Although the model generally supports these principles, it doubts the emergence of a highly proportional bell shape in all cases. Additionally, the explanatory model illustrates that this is certainly not the case for all actions. In situations where you need to create a crescendo at the end of the action, such as clapping your hands or defending against an attacker with a punch or a kick, you must accelerate the relevant body parts in the final phase. Similarly, in many ball sports, achieving a necessary "crescendo" can only be accomplished if, after an initial relatively slower catching phase, you maximize acceleration of the ball towards the end of the action trajectory shape.

⁹ While the explanatory model of the motoric movement action has a strong suspicion that the earliest organisms initially engaged in random motor movements, it demonstrates that after millions of years of evolution, the roles of internal and external have reversed. It's much more efficient for organisms to work from an action trajectory shape rather than relying on random motor movements. Creating an action trajectory shape, for instance, from fingertips to a coffee cup or from a spoon to a soup bowl, is by far more effective and efficient than repeatedly generating random internal movements with the hope that the fingertips will reach the coffee cup or the spoon will reach the soup.

progress with motoric movements within the internal (secondary) focus, which only reach the outer parts of the mouse.

Thanks to this new paradigm, the explanatory model of the motoric movement action is now capable of identifying all functional perception processes within any conceivable motoric action, thus enabling it to describe all sensorimotor perception processes within any conceivable motoric action. In this section, a list of the most crucial insights will be outlined, with a focus on challenging many prevailing assumptions within the scientific community.

a. Visuomotoric perception processes

Of course, science views both visual perception and motor action as essential in executing actions, assuming they share a close relationship. Which, out of a single-focus perspective, led to the rather artificial birth of the term *visuomotoric* perception processes. While one might argue that the term provided some direction in scientific thinking, its content remained vague and never led to any significant consensus.

The explanatory model now emphatically reveals that this term represents an erroneous way of thinking within the scientific community and that it must be expunged from the realm of scientific discourse. The explanatory model effectively illustrates that, in practice, when visual perception comes into play, its exclusive role is to contribute to the perception-action coupling taking place within the external (primary) focus, and has no bearing whatsoever within the internal (secondary) focus. In plain terms, visual perception, by itself, will never induce any movement.

b. Sensorimotoric perception processes

Just like the concept of visuomotoric perception processes, science introduced the term *sensorimotoric* perception processes. In contrast to the previous paragraph, the explanatory model provides a significantly broader description in regard to those sensorimotoric processes than previously presumed in the scientific community and shows unequivocally that we even can execute motoric actions solely through proprioceptive perception, expanding our capabilities beyond what science has traditionally acknowledged. Many actions can be executed with ease, albeit less efficiently, in complete darkness or without any visual input^{10,11}. Consider activities like clapping your hands behind your back, unlocking a door with a key at night, or swatting an annoying mosquito behind your ear. In all these actions, the *tau*-value within the external (primary) focus can be entirely perceived proprioceptively¹².

Additionally, the explanatory model unmistakably reveals that within any conceivable action, an external (primary) focus, operating within a strict *tau*-coupling process, can only be executed by an internal (secondary) focus. It highlights that this secondary focus is exclusively perceived within the body, and therefore, all perceptions within this focus are inherently of a sensorimotoric nature.

¹⁰ Motoric displacement actions from point A to point B, such as walking, cycling, rowing or car driving, can hardly be executed without visual input. However, a person with 100% visual impairment is perfectly capable to navigate through their home freely and by foot travel significant distances outside using a cane. This cane vividly demonstrates that our perception processes are not solely focused on reaching point B but are also deeply engaged in the bridging process. With the cane, the individual is essentially "observing" (feeling) whether the next position P (+1) within the perceptual image of the latent action trajectory shape, is accessible and can be occupied by their body. This observation mirrors what was mentioned earlier regarding the pointer's journey to an icon.

¹¹ Think also of inserting a car key into the ignition. In an unfamiliar car, we need visual perception several times initially to create an action trajectory shape, but after a few repetitions, we do it entirely blindly.

¹² https://www.researchgate.net/publication/342715828_The_complete_functional_explanation_of_limb_position_and_movement_in_relationship_to_the_proprioceptive_perception_-_The_behavioural_perception_processes_within_clapping_behind_your_back

c. The internal (secondary) focus has an indispensable interdependent relationship with the external (primary) focus.

So, the explanatory model revolves around an entirely new paradigm, which reveals that within the execution of a single action, implicitly two autonomous foci arise in relation to two autonomous movements. These two autonomous foci must enter into a mandatory collaboration to accomplish the action successfully. The collaboration involves the motor processes within the internal (secondary) focus, which alone can enable the action object to move, compellingly following the movement within the external (primary) focus. When one is first confronted with this concept, it may evoke an extremely paradoxical feeling. How can a phenomenon that is inherently essential to the action and only solely can ensure the action's success be so dependent on another autonomous phenomenon that it itself brings to life? However, with further contemplation, one will come to realize that it is a remarkable evolutionary discovery and that it provides an explanation for all functional perception processes within any conceivable motor action. Moreover, the explanatory model clearly elucidates how this phenomenon must have developed from the earliest stages of evolution, but further details are omitted here for the sake of brevity¹³. It is emphasized that these two phenomena are entirely interdependent, and without either one, no motor action can be successfully executed.

d. No motor plan and no hierarchy

If the scientific community were to acknowledge that the perception of the movement of an action object within an action trajectory shape, within the external (primary) focus, has the capability to guide the entire execution of any conceivable motoric action, several challenges within science would be resolved immediately. If it were accepted that, prior to the execution of a motor action, we create an all-encompassing and directing perceptual image of an external latent action trajectory shape, the need for a motor plan would instantly disappear. Which would lead to the understanding that all sensorimotor movements simply serve the external (primary) focus, and as a result, there would be no need to recognize hierarchy within the sensorimotor structure. Then all sensorimotor activity can hierarchically be regarded at the exact same level which just obediently have to carry out the task within the external (primary) focus.

e. The explanatory model reflects an optimal ecological approach

In the current scientific paradigm, there is a consensus that motor planning exists, but there is absolutely no agreement on how such a motor plan is developed. While it's acknowledged that creating a motor plan demands more cognitive capacity from an organism, it essentially reveals that, even after many decades, there is no clear answer to this question. An important, unanswered scientific question is how a motor plan adapts when a sudden change occurs during an action. Which also leads to the pressing follow-up question of how more primitive organisms can cope with such situations. The explanatory model of the motoric movement action demonstrates that perceiving the *tau*-value, despite its inherent complexity, can be distilled into a very simple universal phenomenon. Which is

¹³ In future publications, where the precise role of the cortical streams in regard to this phenomenon will be explained, this evolutionary development will be further elucidated. In brief, the explanation will demonstrate that organisms initially started with just random (!) movements within their bodies to move a part of the external body somewhere. After millions of years, we 1. realized that this specific external body part, like a marble in a marble run, fills an external action trajectory shape, and 2. gained a solid understanding of the involved motoric movements. This understanding allowed us to reverse the roles, shifting from initiating movements from inside the body to initiating them from the outside. This line of thinking even goes so far as to suggest that the cortical streams within an organism have evolved evolutionarily to precisely mediate this relationship of a marble-marble run in a double and reciprocal process.

also explained in the context of moving a pointer to an icon¹⁴. To perceive the *tau*-value, all you need to do is register the speed at which the latent part of the perceptual image of the entire action trajectory shape disappears. Essentially, this amounts to a straightforward observation of the disappearance of a two-dimensional line segment.

Subsequently the explanatory model reveals that the internal (secondary) focus can align itself with the external (primary) focus as a whole, without any rigid hierarchy. This simplifies the observation of the *tau*-coupling process to such an extent that, within an ecological framework, it's hard to surpass and which concept can also be applied to the earliest organisms.

f. Mouse movements are proprioceptively perceived

The explanatory model shows crystal clear that the internal (secondary) focus can solely be perceived within the body and so no visual perception can ever be involved. The internal (secondary) focus can solely be perceived proprioceptively. You can easily observe this during mouse movements. While working at a computer most people look at the screen with the mouse present within peripheral vision but that is totally irrelevant within your internal (secondary) focus. Which you are quickly able to determine if you cover the mouse completely. It won't have any effect on the outcome of the motoric action.

g. Hybrid (proprioceptive) perception processes

A significant shortcoming in scientific research pertains to the notion that motor actions are always executed with roughly the same sensorimotor perception processes. The explanatory model reveals a universal framework, but it clearly demonstrates as a novelty that often multiple constellations of perception processes are involved within the execution of the same motoric action and that we are capable to endlessly, *ecologically* (!) vary within this realm.

For example, when in pitch black darkness, we bring our (non-key-holding) hand to a lock, we can successfully move the key to the lock using solely proprioceptive perception within the external (primary) focus c.q. we can successfully move the key along a perceptual image of a latent action trajectory shape using solely proprioceptive perception processes. So even if it then appears that we perform this motoric action with only visual perception in broad daylight, that's factually incorrect. In broad daylight visual perception processes may dominate, but proprioceptive perception processes will never disappear and so will always be present in some hybrid form. So actions we perform during the day with relatively many visual perception processes are always executed proprioceptively as well.

This also holds true within the internal (secondary) focus. You can quickly ascertain for yourself that you could move the mouse using only torso action, or even solely leg movements if you were to rigidly hold the mouse. In fact, you could make it move with just upper arm and/or forearm action if you maintain to just rigidly hold that mouse. But even when it comes to more typical motor movements used for mouse control, you can readily observe that you could relatively use more hand or more finger action.

In short, you might have developed a preferred motor strategy for using a mouse, but they will inherently consist of a constellation of hybrid sensorimotor perception processes. Which shows such a complex phenomenon that leads to solely one definite conclusion: you will never be capable of reproducing an identical execution of the mouse action. Upon which the explanatory model of all motoric movement actions again hastily wants to add that these hybrid possibilities in the utmost harmony align within an ecological approach and that a parsimonious organism would never have strived to achieve identical executions.

¹⁴ https://www.researchgate.net/publication/373399960_When_clicking_on_an_icon_the_sense_of_the_task_is_solely_executed_by_the_external_movements_of_the_pointer_within_the_primary_focus_The_pointer_becomes_constrained_within_an_action_trajectory_shape

h. Optimization process

The explanatory model of the motoric movement action demonstrates that a motor action can only be executed by the stacking of two autonomous foci and shows within the previous paragraph that the perception of movement within the internal (secondary) focus is inherently of such a high complex nature that it will definitely prevent the occurrence of an identical internal configuration to occur. Consequently this will cause that the action object is capable to and definitely shall deviate from the perceptual image of the latent action trajectory shape at each progressing point P and even though the cortical streams ingeniously mediate this process, it's empirically evident that an identical execution of any action trajectory shape is unattainable. This unequivocally portrays that performing any conceivable action can only be viewed as an optimization process. Hence, you will never be able to make a mouse and a pointer move identically. Instead, you solely can optimize the perceptions within both foci, which also allows you to perform actions in a very successful manner but in ever-varying ways.

i. Within the internal (secondary) focus the line and shape within the line segment shape of the action trajectory demand autonomous perception processes; Solely the line generates the *tau*-value

The explanatory model of the motoric movement action demonstrates, beyond any reasonable doubt, that we do not (need to) create motor plans and that all sensorimotor processes can be compellingly guided by the external (primary) focus. But if a motor plan would have been necessary, science would still have remained remote from a breakthrough, as sensorimotor processes must accompany two autonomous phenomena within the action trajectory shape that have never been recognized in science. The frequently used compound term "action trajectory shape" is in fact a line segment shape and encompasses two autonomous components: the line and the shape. The explanatory model illustrates that they are perceived entirely separately but simultaneously. For experts, this is clearly recognizable within any conceivable action. However to make it comprehensible for everyone, these phenomena are explained within the context of the motoric movement action *car driving* (or riding a bicycle) since this action inherently contains the scientific evidence of these two autonomous perceptions.



Images: In the case of a car and a bicycle without hand brakes, only the steering wheel can compensate for deviations in the width of the action trajectory shape, and the pedals can only compensate for deviations in the length of the action trajectory shape.

When driving a car, it becomes immediately evident that one can exclusively influence the movement within the shape (!) of the action trajectory with the steering wheel. This defines the explanatory model as mediating the deviations in the y-axis. Additionally, it should also become immediately clear

that with the pedals, one can exclusively influence the movement within the line (!) of the action trajectory. This defines the explanatory model as mediating the deviations in the x-axis¹⁵.

So, when driving a car, it becomes crystal clear that perceiving (and controlling) the shape has absolutely nothing to do with perceiving (and controlling) the line. In which it is essential to mention that perceiving the filling of the latent line (within the x-axis) by the manifest places P of the action object within the external (primary) focus solely involves the *tau*-value which within car driving is solely executed by the pedals. Solely the speed with which the line is filled determines the duration of the action c.q. determines the finalization of the action.

The explanatory model of the motoric movement action demonstrates that the perception of movement within the internal (secondary) focus in any conceivable action, including the current computer operation, contains the same x- and y-axis components. Although it places greater demands on the development of an organism, conversely, it can be shown to fit perfectly within an ecological approach. The dichotomy, where a separate x- and y-axis component is distinguished, can actually deliver the final breakthrough in the understanding of why we are capable to reduce very complex perception processes to the perception of such trivial and simple phenomena. The mere perception of the x-axis can be traced back to simply perceiving how the latent part of the perceptual image of the latent action trajectory disappears.

¹⁵ The same explanation naturally applies when considering a bicycle with coaster brakes.